



## Inspection Report

KRISTY WISNIEWSKI

Customer ID: 45007

Certificate: 21-C-0365

Site: 001

KRISTY WISNIEWSKI

70 NORTH HANFORD AVE

Type: ROUTINE INSPECTION

Date: Nov-06-2012

JAMESTOWN, NY 14701

### 3.125 (a)

#### FACILITIES, GENERAL.

Structural strength. The facility must be constructed of such material and of such strength as appropriate for the animals involved. The indoor and outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury and to contain the animals.

\*\*\* There is a section of metal that is down in the large tiger enclosure housing 4 tigers. This section of metal needs to be removed for the safety of the animals.

\*\*\* The wood entrance to the shelter box in the large tiger enclosure is in disrepair with holes in the wood and nails exposed. This section of the box needs to be repaired for the safety of the animals.

\*\*\* The platform in the lion enclosure has sections that are in disrepair with the wood chewed at the corner potentially affecting the integrity of the top of the platform. This platform needs to be kept in good repair for the safety of the animals.

Correct by: Nov 29, 2012

### 3.125 (c)

#### REPEAT

#### FACILITIES, GENERAL.

Storage. Supplies of food and bedding shall be stored in facilities which adequately protect such supplies against deterioration, molding, or contamination by vermin. Refrigeration shall be provided for supplies of perishable food.

\*\*\* The freezer still has a broken door that no longer stays closed and sealed. The food inside was frozen but only due to outdoor temperatures. This freezer door needs to be fixed to protect the food supplies from deterioration or contamination.

\*\*\* In addition the freezer was dirty with dead flies around the food. This freezer needs to be cleaned out to protect the food supplies and prevent contamination.

Prepared By:

ANDREA D AMBROSIO, ACI

ANDREA D AMBROSIO, ACI USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR Inspector 6003

Date:

Nov-07-2012

Received By:

(b)(6),(b)(7)(c)

Date:

Nov-07-2012

Title:



## Inspection Report

---

\*\*\* There were several boxes of chicken outside on the ground next to broken freezers. This chicken is not being stored in a manner that would protect the supplies from deterioration. All food needs to be stored in a manner that protects the nutritional value of the food.

### 3.127 (c)

#### FACILITIES, OUTDOOR.

Drainage. A suitable method shall be provided to rapidly eliminate excess water.

\*\*\* Many of the enclosures contain standing water due to inadequate drainage. One of the tigers was wet from lying in the water. These enclosures need to be addressed and more stone added to facilitate drainage of excess water.

Correct by: Dec 6, 2012

### 3.129 (a)

#### FEEDING.

The food shall be wholesome, palatable, and free from contamination and of sufficient quantity and nutritive value to maintain all animals in good health. The diet shall be prepared with consideration for the age, species, condition, size, and type of the animal. Animals shall be fed at least once a day except as dictated by hibernation, veterinary treatment, normal fasts, or other professionally accepted practices.

\*\*\* There is no way to assure that the food is palatable and free from contamination based on the current method of storing and preparing food. The area used to butcher dead animals for food is dirty, three horses have been laying outside under a tarp for over 24 hours in temperatures of 35 degree F and there are boxes of chicken on the ground next to broken freezers. Lastly, the current working freezer is dirty with a broken seal on the door. Food that is not stored and prepared properly can easily become contaminated. All of these areas need to be addressed to assure that the food retains its nutritive value when being fed to these animals.

Correct by: Nov 12, 2012

### 3.130

#### WATERING.

All water receptacles shall be kept clean and sanitary.

\*\*\* Many of the water bowls are dirty with a layer of algae along the bowl. Some have blood and dirt in them from animals putting their meat in the water. These water receptacles need to be cleaned on a frequent basis for the health of the animals.

Correct by: Nov 12, 2012

---

Prepared By:

ANDREA D AMBROSIO, ACI

ANDREA D AMBROSIO, ACI USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR Inspector 6003

Date:  
Nov-07-2012

Received By:

(b)(6),(b)(7)(c)

Date:  
Nov-07-2012

Title:



## Inspection Report

---

### 3.131 (a)

#### SANITATION.

Cleaning of enclosures. Excreta shall be removed from primary enclosures as often as necessary to prevent contamination of the animals contained therein and to minimize disease hazards and to reduce odors. When enclosures are cleaned by hosing or flushing, adequate measures shall be taken to protect the animals confined in such enclosures from being directly sprayed with the stream of water or wetted involuntarily.

\*\*\* Every enclosure at the facility needs to be cleaned. There is an accumulation of feces in every enclosure and there is an accumulation of old bones and animal parts that have been fed out over several days in every enclosure. There is a strong odor throughout the facility due to the dead animals being fed out and animal waste. These enclosures need to be cleaned to prevent contamination to the animals in the enclosures and to reduce odors.

\*\*\* The bear enclosures have an accumulation of feces in the bear den areas that need to be cleaned. This area needs to be cleaned as the bears get ready to bed down for the winter months.

Correct by: Nov 13, 2012

An exit briefing was conducted with a facility representative at the time of the inspection.

---

Prepared By:

ANDREA D AMBROSIO, ACI

Title:

ANDREA D AMBROSIO, ACI      USDA, APHIS, Animal Care  
ANIMAL CARE INSPECTOR      Inspector 6003

Date:

Nov-07-2012

Received By:

(b)(6), (b)(7)(c)

Title:

Date:

Nov-07-2012